### Circle of Care<sup>™</sup> Portal access: <u>www.provider.usworldmeds.com</u>

24-hours a day, every day. Contact a Circle of Care customer service representative at 1-877-727-6596, Option 3. 8:00 AM to 8:00 PM Eastern Time, Monday through Friday, exclusive of holidays.

# For more information about our products and services:

MYOBLOC<sup>®</sup> (rimabotulinumtoxinB) Injection 1-888-461-2255, Option 3, or visit our Web site at <u>www.myobloc.com</u>

APOKYN<sup>®</sup> apomorphine hydrochloride injection 1-877-7APOKYN (1-877-727-6596), Option 3, or visit our Web site at www.apokyn.com

### Table of Contents:

Register a New Practice	Page 2
Provider Portal Guide	Page 11
Submitting Patient Referral	Page 26

US WorldMeds, LLC is the exclusive licensee and distributor of APOKYN in the United States and Its territories. © 2016 APOKYN is a registered trademark of Brituswip. MYOBLOC is a registered trademark of Solstice Neurosciences, LLC, a wholly-owned subsidiary of US WorldMeds, LLC. USWM-492-0316

#### **REGISTER A NEW PRACTICE**

a.

1. Login into the provider portal at provider.usworldmeds.com



b. Click on Register Practice.

Creation				
Create a new acc	count		Please complete all helds below to create your account.	
Organization NPI #		Contact First Name		
Practice Name		Contact Last Name		
Organization Tax ID		Phone		
Address 1		Fax		
Address 2		Email		
City			Create Login	
State	Select One	Username		
Zip		Password		
		Confirm Password		
	Important Sal	fety Information	Show More	1
APOKYN* (apomorphine hydrochlor Indication APOKYN is indicated for the acute, dose wearing-off and unpredictabli disease. APOKYN has been studied	ide injection) intermittent treatment of hypomobility, off episodes (end-of- on-off episodes) associated with advanced Parkinson's as an adjunct to other medications.	MYOBLOC* (rimabotulinumtoxin Indication MYOBLOC is indicated for the tr abnormal head position and nec	(B) Injection extment of adults with cervical dystonia to reduce the severity of k pain associated with cervical dystonia.	

d. All fields on this screen must be completed.

c.

e. The Organization NPI# field is linked to the online NPI registry. Once your practice NPI is entered, the information that is loaded in the NPI registry will automatically populate. If the information needs to be edited, you may do so here.

Organization NPI #	1234567890	Contact First Name	Kate	
Practice Name	Sidio neurology	Contact Last Name	Sidio	
Organization Tax II	123456789	Phone	(555) 123-1212	
Address	123 Tree Ln	Fax	(555) 123-1233	
Address :	Suite 2	Email	ksidio@sn.com	
City	Naperville		Create Login	
State	IL .	lisername	kates	
Zij	60564	Usemane	Username is available	
		Password		
		Confirm Password		
	Important S	afety Information	Show M	lore 🕇
APOKYN <sup>®</sup> (apomorphine hydroc	loride injection)	MYOBLOC <sup>®</sup> (rimabotulinumtoxi	nB) Injection	
Indication APOKYN is indicated for the act dose wearing-off and unpredict disease. APOKYN has been stud	te, intermittent treatment of hypomobility, off episodes (end-of- bble on-off episodes) associated with advanced Parkinson's ed as an adjunct to other medications.	Indication MYOBLOC is indicated for the t abnormal head position and ne	reatment of adults with cervical dystonia to reduce the severit ck pain associated with cervical dystonia.	y of

C 🛾	https://providerte	st.usworldmeds.co	m/Account/Register					
	Add Address							
	Edit	Delete	Address 1	Address 2	City	State	Zip	
	No data availa	ble in table						
_								
				Important Sal	ety Information			Show More 🕇
A	POKYN® (apomorphine )	nydrochloride injection)			MYOBLOC <sup>®</sup> (rimabo	otulinumtoxinB) Injection		
lr A d	ndication POKYN is indicated for t ose wearing-off and unp isease. APOKYN has bee	he acute, intermittent predictable on-off episo n studied as an adjunci	treatment of hypomobility, ides) associated with advar : to other medications.	off episodes (end-of- nced Parkinson's	Indication MYOBLOC is indica abnormal head pos	ted for the treatment of sition and neck pain assoc	adults with cervical dystonia I iated with cervical dystonia.	to reduce the severity of
						_		

i. Any additional locations associated with the practice are entered here.

h.

j. To add an additional address for your practice, click Add Address to add the first additional location.

Add Address		Add New Address			
Edit					
No data ava		Address 1:			
		Address 2:			
		Address2			
		City:			
		City			
		State:			
		select one			
		Zip:			
		Save			
 				Show More	t
APOKYN® (apomorph Indication APOKYN is indicated dose weating off and	ine hydrochloride injectio	fly nt treatment of hypomobility, off episodes (end-of- isodes) associated with advanced Parkinson's	Indication MYOBLOC is indicated for the treatment of adul abnormal head position and neck pain associate	s with cervical dystania to reduce the severity of dwith cervical dustania.	

I. Enter the address and click Save.

k.

- m. Repeat for any additional locations.
- n. Once all locations are added, click Next at the bottom of the screen.
- o. If there are no additional locations for the practice, simply click Next at the bottom of the screen.



- q. All physicians associated with your practice will be entered here.
- r. Click Add Provider.

🔓 Log On	× 🕒 Log C	'n	× C Service Request Details ×	Log On   Circle of Care	× 🗋 Register 🛛 🗙		
← → C	Attps://providertest.	usworldmeds.c	om/Account/Register				☆ 〓
	Add Provider		-			5. C	<b>^</b>
			Add/Edit Provider				
	Edit Delete	HCP NPI	HCP NPI #			Practice Address	
	No data available		HCP NPI				-
			HCP First Name				
			First Name				
			HCP Last Name				
			Last Name				
			Tax ID #				
			Tax ID				
			PTAN (Optional)				
			Practice Address				
_		an sealar at later in 1953 at 1964 at				Show Mo	re 🕇
	Indication	jorochlonde injectio	123 Trèe Ln Suite 2 N	aperville IL 60564			
_	APOKYN is indicated for th dose wearing-off and unpr disease. APOKYN has been	e acute, intermitte edictable on-off ep studied as an adju	n Save			with cervical dystonia to reduce the severity with cervical dystonia.	of
<b>()</b>		93				× 🏴 🗎 .	al 🔩 8:49 AM 4/3/2015

- t. Complete all fields (PTAN is optional).
- u. Select the address associated with this physician. (If multiple addresses had been entered, all of those addresses would populate here and you would choose the appropriate address for this physician).
- v. Click Save.

s.

Edit	Delete	HCP NPI	First Name	Last Name	Tax ID #	PTAN #(Optional)	Practice Address	
Edit	Delete	0987654321	Isaac	Sidio	987654321		View	
						Back	jister	
			Impo	rtant Safety Infor	mation		Show More 🕇	1
 APOKYN® (a)	pomorphine hydroch	loride injection)		MYOE	LOC® (rimabotulinumtoxin	nB) Injection		
Indication APOKYN is in dose wearin	ndicated for the acu	te, intermittent treatment of he able on-off episodes) associated	pomobility, off episodes (e I with advanced Parkinson's	nd-of- MYOE abnor	<b>tion</b> LOC is indicated for the tr mal head position and nec	eatment of adults with cervical dyst k pain associated with cervical dyst	onia to reduce the severity of:	

x. After all physicians for your practice have been entered here, click Register.



- z. This screen will pop up to let you know that everything entered was sent to the Reimbursement HUB for approval.
- aa. Once approved, you will receive an email confirming the approval.

#### **PROVIDER PORTAL GUIDE**

a.

1. Log into the provider portal at provider.usworldmeds.com.



b. Enter User Name and Password and click Login. (If you forget your password, click Forgot your password? You will receive an email with instructions for resetting your password).



- d. You will be taken to the Home Page.
- e. You have the option to look at all products or just APOKYN or MYOBLOC.
- f. We will click on MYOBLOC for this training.
- g. Click on Patients at the top of the Home Page.

Log On × C Log On	× C Service Request Deta	ils 🗙 💾 Log On   Circ	le of Care 🗙 🗋 My	Patients ×			
← ⇒ C 🔒 https://providertest.us	worldmeds.com/Patients						53
MYOBL masoularent ipetion (500)	HOME And A		ORDERS	FORMS	Administrator	Logout	
Арг 03, 2015 АLL АРОКҮ	/Ne MYOBLOCe			[Change Pass	word] Welcome Tan + Submit Patient	vi Kachhy Referral	
Patients	. Patient First . Patient Middle . F	atient Last	. Provider Ful	ina na	Show Patier	nts •	
Patient ID	Name Name Name	lame 🗘 Date ol	Birth 🕈 Name	Date Submitted	Patient Status 🗘 🗘	Therapy 🗘	
1500	John F	atientDemo 9/1/194	D Provider Tes	t 7/11/2014		Myobloc	
Showing 1 to 1 of 1 er	ntries				← Previous 1	Next →	
		Important Safet	y Information			Show More 🕇	
APOKYN® (apomorphine hydroc Indication APOKYN is indicated for the ac dose wearing-off and unpredict disease. APOKYN has been stur	chloride injection) ute, intermittent treatment of hypomobility, table on-off episodes) associated with advand died as an adjunct to other medications.	off episodes (end-of- ed Parkinson's	MYOBLOC® (rimabotulinu Indication MYOBLOC is indicated for abnormal head position a	mtoxinB) Injection I the treatment of adults Ind neck pain associated v	with cervical dystonia to reduc vith cervical dystonia.	e the severity of	
<ul> <li>(a)</li> <li>(b)</li> <li>(c)</li> <li>(c)</li></ul>						🖉 🌬 🔒 📲	9:55 AM 4/3/2015

i. This screen will show all of your MYOBLOC patients.

h.

j. To see more details on a patient, click on the patient ID of the patient you want to view.

C 🔒 htt	ps://providertest.usworldm	neds.com/Patients/Details?PatientID=1500	,		
	Patient Details: John Pa	tientDemo			Back Print
	Patient Demographics				
	Patient ID	1500	Address Type	Home	
	Gender	Male	Address 1	555 Test Street	
	DOB	9/1/1940	Address 2		
	Patient Status		Address 3		
	Therapy	Myobloc	City	Bethesda	
	Primary Insurance	BCBS Test	State	MD	
	Secondary Insurance		Zip	20814	
	Service Request Histo	ry			
	SR ID 🔶 Date S	tarted 🔶 Type	🗍 Status 🗍 SR H	HUB Status 🔶 Resolution	
	4662 8/24/2	014 Benefit Investigation	Open		
_	4668 9/3/20	14 Benefit Investigation	Open		
		Important	Safety Information		Show More 🕇
APOKY	YN® (apomorphine hydrochloride i	njection)	MYOBLOC <sup>®</sup> (rimabotulinumtoxin	nB) Injection	
Indicat APDK dose v diseas	tion YN is indicated for the acute, inter wearing-off and unpredictable on- ie. APOKYN has been studied as a	mittent treatment of hypomobility, off episodes (end-of off episodes) associated with advanced Parkinson's n adjunct to other medications.	Indication - MYOBLOC is indicated for the tr abnormal head position and nec	eatment of adults with cervical dystonia to k pain associated with cervical dystonia.	) reduce the severity of
			I	·	0

I. This will show Patient Demographics and Service Request History.

k.

m. If you want to see the details of a particular Service Request, click on the SR ID of the Service Request you want to view.

Service	Request Details							
SR ID	Patient Full Name	Provider Full Name	Date Started	Туре	Status	HUB Status	Resolution	
4662	John PatientDemo	Provider Test	8/24/2014	Benefit Investigation	Open			
Docume	nts							Í 🗌
File Nan	ne		Document Type				\$	
DOC081	214_2_split_1_split_10_split	L_O.pdf	PDF					
DOC081	214_2.pdf		PDF					
Showi	ng 1 to 2 of 2 entries					← Previous	1 Next $\rightarrow$	
				Tasks				
				No Task Available				
 Notes						Ma	st recent entry first	
			Important Safe	ty Information			Show M	1ore 🕇
APOKYN® (apomo Indication APOKYN is indica dose wearing-off disease, APOKYN	rphine hydrochloride injection ted for the acute, intermitte and unpredictable on-off ep has been studied as an adiu	on) nt treatment of hypomobility, of iisodes) associated with advance oct to other medications	f episodes (end-of- d Parkinson's	MYOBLOC* (rimabotulinumtoxin Indication MYOBLOC is indicated for the to abnormal head position and nee	nB) Injection reatment of adul ck pain associate	ts with cervical dyst d with cervical dyst	onia to reduce the severit onia.	ty of

- o. Once the SR ID is selected, this screen appears.
- p. Service Request Details, Documents, Tasks and Notes will show on this screen.
  - i. Service Request Details will show the date the SR was submitted, the type of SR, the status of the SR, the HUB status and any Resolution.
  - ii. Documents will show any documents associated with this SR (BI's, Prior Auth documents, etc.). To see the document, click on the file name of the document and it will pop-up on your screen for viewing or printing.
  - iii. Notes will show any communications between the HUB and your office (missing information, Prior auth outcomes, etc.).
- q. Click the Back button at the top right to go back to the patient details.
- r. Here, you can continue to look at other Service Requests for this patient.
- s. Click the Back button to return to the patient list.

## 2. ORDERS

b.

a. Click on Orders at the top of the Home Page to Order product.

Log On	×	Log On	× C 🕒 Service Request Details	× Log On	Circle of Care 🗙 🗋	Orders	×		- 0
• → C 🗎	https://provider	test.usworldmed	s.com/Order/OrderHistory			1			53
	2 reis	1YOBLOC* natoclulirumtosinB ection [5,000 Units/Int]	номе		ORDERS	FORMS	Administrator	Logout	
	Apr 03, 2015					[Change P	assword] Welcome T	anvi Kachhy	
	Myobloc	Order His	tory				+ Ord	ler Product	
	-		-						
	Data	Location			Chipping Dripping				
	Date	CO21 Adiaster	Deed Debbands		Shipping Proncy	aliante (2:00 DM)			
	3/23/2015	6931 Artingcor	i Road Bethesda		Ship Normal Next Day D	euvery (3:00 PM)			
	3/13/2015								
	3/13/2015	6931 Arlingtor	Road Bethesda		Ship Normal Next Day D	elivery (3:00 PM)		View	
	2/6/2015								
	1/28/2015								
	1/26/2015								
				Important S	afety Information			Show More 🕇	_
A A di di	POKYN® (apomorphin dication POKYN is indicated fr ose wearing-off and i isease. APOKYN has b	e hydrochloride inject or the acute, intermitt unpredictable on-off o been studied as an ad	i <b>on)</b> ent treatment of hypomobility, off episodes) associated with advanced junct to other medications.	i episodes (end-of- d Parkinson's	MYOBLOC* (rimabotu Indication MYOBLOC is indicate abnormal head positi	utinumtoxinB) Injection Ind for the treatment of ad	ults with cervical dystonia to r ed with cervical dystonia.	educe the severity of	
	6	05			-			- 🎮 🔒 ad (	10:07 / 4/3/20

- c. Once you click on Orders, your practice order history will appear.
- d. To place an order, click on the Order Product button.

MYOBLOC can only be ordered by licensed health	care providers in the United States		
	Step 1 of 4 (Ac	count Information)	Next
	Please complet	te the required fields.	
Account#	12354	P0#	P0#
1 - 53,550,059,000,04			
Physician Name	select one 🔹	TaxID#	TaxID#
	Physician is required.		TaxID is required.
Office Contact	select one 🔹	State License #	State License #
	Contact is required.		State License is required.
Phone#		Expiration Date	Expiration Date
	Phone is required.		Expiration Date is required.
Fax#		GPO Affiliation	select one 🔻
E-mail	E-mail	Is purchase 340b eligible ?	No
	L Email is required.	J	
	Important Saf	ety Information	Show More 🕇
APOKYN <sup>®</sup> (apomorphine hydrochloride injection)		MYOBLOC <sup>®</sup> (rimabotulinumtoxinB) Injection	
Indication APOKYN is indicated for the acute, intermittent treat: dose wearing-off and unpredictable on-off episodes)	ment of hypomobility, off episodes (end-of- associated with advanced Parkinson's	Indication MYOBLOC is indicated for the treatment of adults abnormal head position and neck pain associated y	with cervical dystonia to reduce the severity of with cervical dustonia

- f. Choose the appropriate Physician Name from drop-down list.
- g. Choose Office Contact from drop-down list.

e.

	Step 1 of 4 (Ad	count Information)	Next
	Please comple	te the required fields.	
Account#	12354	PO#	P0#
Physician Name	Provider Test	TaxID#	12345
	(		TaxID is required.
Office Contact	Jane Riley	State License #	123454
			State License is required.
Phone#	(301) 656-1080	Expiration Date	10/01/2016
	Phone is required.		Expiration Date is required.
Fax#	(301) 656-2243	GPO Affiliation	select one 🔻
			GPO is required.
E-mail	glahens@caremetx.com	Is purchase 340b eligible ?	No
	Email is required.		
	Important Saf	ety Information	Show More 🕇
		MYOBLOC® (rimabotulinumtoxinB) Injection	

- i. Once Physician and Office Contact are selected, remaining fields will auto-populate if this isn't the first order being placed on the portal.
- j. If this is the first order being placed through the portal, all required fields will need to be completed.
- k. Once complete, click Next.

h.

Vial Size	NDC#	WAC Price	Quantity
MYOBLOC 2,500 Units/0.5 mL	10454-710-10	\$282.00	0
MYOBLOC 5,000 Units/1 mL	10454-711-10	\$564.00	0
MYOBLOC 10,000 Units/2 mL	10454-712-10	\$1,128.00	0
MYOBLOC PI/Medication Guide	Item # 704361		

- m. Order information screen appears.
- n. Select the quantity of each product size you want to order.
- o. Click Next.

١.

		Step 5 of 4 (Bittin	g / Shipping monacion)	Here	
		Please compl	ete the required fields.		
SHIP TO			BILL TO		
	Ship To	select one	•	🔲 Use Ship To Info for Bill To	
	Nama	( Marine	Name	Name	
	Nome	Name		Name is required.	
	Sa maya a sa sa sa	Name is required.	Practice	Practice	
	Practice	Maryland Family Care Practice		Practice is required.	
			Address 1	Address 1	
	Address 1	Address 1		Address is required.	
		Address is required.	Address 2	Address 2	
	Address 2	Address 2			
			Citu	Citu	
	City	City		Citu is required.	
		City is required.	State	Solort Ope-	
	State	Select One	•	State is required	
		State is required.	Zie Code		
	Zip Code	Zip Code	Zip Code	Zip	
		Important S	afetu Information	Chow Moro	_
APOKYN <sup>®</sup> (apomorphi	ne hydrochloride injection)		MYOBLOC* (rimabotulinumtoxinB) Injection	Show Hore	
Indication APOKYN is indicated I dose wearing-off and disease. APOKYN has	or the acute, intermittent treatm unpredictable on-off episodes) a been studied as an adjunct to oth	ent of hypomobility, off episodes (end-of- ssociated with advanced Parkinson's her medications.	Indication MYDBLOC is indicated for the treatment of adults abnormal head position and neck pain associated	with cervical dystonia to reduce the severity of with cervical dystonia.	

Ship To	6931 Arlington Road Suite 308 Be 🔻		🔲 Use Ship To Info for Bill To
Name		Name	Name
Nome	Provider resc		Name is required.
	Name is required.	Practice	Practice
Practice	Maryland Family Care Practice		Practice is required.
constant a store		Address 1	Address 1
Address 1	6931 Arlington Road		Address is required.
	Address is required.	Address 2	Address 2
Address 2	Suite 308	Address 2	Address 2
		Citu	Citu
City	Bethesda		Citu is required.
	City is required.	Chaba	
State	MD	State	Select One
	State is required.		
Zip Code	20814	ZIP Code	Zip
	Zip is required.		Zip is required.
Shipping Preference	select one 🔻		
	Preference is required.		
	Important Safe	ty Information	Show More 🕇
APOKYN® (apomorphine hydrochloride injection)		MYOBLOC <sup>®</sup> (rimabotulinumtoxinB) Injection	
Indication APOKYN is indicated for the acute, intermittent treatm dose wearing-off and unpredictable on-off episodes) a disease. APOKYN be been studied as an adjunct to oth	nent of hypomobility, off episodes (end-of- issociated with advanced Parkinson's her medications	Indication MYOBLOC is indicated for the treatment of adults abnormal head position and neck pain associated	with cervical dystonia to reduce the severity of with cervical dystonia.

- s. All address information will auto-populate (a shipping preference will need to be selected).
- t. If the Ship To information is the same as the Bill To information, click on the box.
- u. If the billing information is different, complete the required fields on the right-hand side.
- v. Click Next.

r.

C 🔒	https://providertest.usworldmeds.com/Or	der/OrderProduct		
	Send Invoice VISA • • • • • • • • • • • • • • • • • • •			
	CARD INFORMATION			
	Card Holder Name		Card Holder Name	
	Card Holder Telephone			
	Card Holder Address		Card Holder Address	
	Card Holder City		Card Holder City	
	State		Select One	•
	Zip Code		Zip Code	
	Credit Card Number		Credit Card Number	
	Card CVV		Security Code	
		Important Safe	ety Information	Show More 🕇
AF AF do dis	VOKYN* (apomorphine hydrochloride injection) fication VOKYN is indicated for the acute, intermittent treatm se wearing-off and unpredictable on-off episodes) ar sease. APOKYN has been studied as an adjunct to oth	ent of hypomobility, off episodes (end-of- sociated with advanced Parkinson's er medications.	MYOBLOC* (rimabotulinumtoxinB) Injection Indication MYOBLOC is indicated for the treatment of adults with cervical dystonia abnormal head position and neck pain associated with cervical dystonia.	to reduce the severity of

- x. The payment information screen appears next.
- y. Select payment information.
- z. If a credit card option is selected, complete all required fields.

Send Invoice     VISA     VISA		
CARD INFORMATION		
Card Holder Name	Card Holder Name	٦ I
Card Helder Telephone	Name is required.	-
Card Holder Telephone		
Card Holder Address	Phone is required.	
	Card Holder Address	
Card Holder City	Card Holder Citu	
	City is required.	
State	Select One	•
Zip Code	Zip Code	
	Zip is required.	
Credit Card Number	Credit Card Number	
	Card Number is required.	
Card CVV	Security Code	
	Security Code is required.	-
 Important Safe	ty Information Show	/ More 1
APOKYN* (apomorphine hydrochloride injection) Indication APOKYN is indicated for the acute, intermittent treatment of hypomobility, off episodes (end-of- dose wearing-off and unpredictable on-off episodes) associated with advanced Parkinson's disease. APOKYN has been studied as an adjunct to other medications.	MYOBLOC* (rimabotulinumtoxinB) Injection Indication MYOBLOC is indicated for the treatment of adults with cervical dystonia to reduce the sever abnormal head position and neck pain associated with cervical dystonia.	rity of

- bb. If Send Invoice is selected, no other information is required.
- cc. Click Submit.

![](_page_23_Picture_0.jpeg)

- ee. This screen appears to confirm that your order was successfully placed.
- ff. To view/print the form, click on View/print a PDF copy of the order here.

# 3. TOOLS AND FORMS

a. Click on Tools and Forms at the top of the Home Page.

![](_page_24_Picture_0.jpeg)

c. All forms associated with the product will appear here.

# PROVIDER PORTAL: SUBMITTING PATIENT REFERRAL

1. Login into the provider portal at provider.usworldmeds.com

Apr 03, 2015		
Welcome to the Circle of Care™. A secure p	oortal brought to you by US WorldMe	ds.
	Login	
24/7 Online Support <ul> <li>View your service requests anytime</li> </ul>	User Name tkachhy	
<ul> <li>Real time patient status updates</li> <li>Accessible via any Internet-connected device: PC, tablet,</li> </ul>	Password	
smart phone • Secure Login	Forg	ot your password?
		Login
	Not Registered?	egister Practice
Important Safetu	Information	Show More
APOKYN® (apomorphine hydrochloride injection)	MYOBLOC <sup>®</sup> (rimabotulinumtoxinB) Injection	Show Hole
Indication APOKYN is indicated for the acute, intermittent treatment of hypomobility, off episodes (end-of- dose wearing-off and unpredictable on-off episodes) associated with advanced Parkinson's disease. APOKYN has been studied as an adjunct to other medications.	Indication MYOBLOC is indicated for the treatment of adults with cervical dyst abnormal head position and neck pain associated with cervical dyst	onia to reduce the severity of nia.

- b. Login by entering your username and password. (If you have forgotten your password, click Forgot your password? An email will be sent to you with instructions to reset your password.
- c. Click Login.

a.

![](_page_26_Figure_0.jpeg)

- e. You will be brought to the Home Page.
- f. You can look at all products by clicking All. To see just APOKYN patients or MYOBLOC patients, click on either of those buttons.
- g. We will use MYOBLOC for this training document.
- h. To Submit a BI request, click on Submit Patient Referral.

0.54	× 🕒 Log On	× C Service Request Details × C L Lo	ag On   Circle of Care ×	🗅 Submit Patient Referral 🛛 🗙 📃	
C 🔒 https:	://providertest.usworldmeds.	com/SubmitARequest/SelectPhysician			
	rimabotalinumtosinB Injection [5,000 Units/mL]	ПС	<u>0-0</u>	=9	
Apr 03,	. 2015			[Change Password] Welc	ome Tanvi Kachhy
Sele	ect a physician	- select one - •			
APOKYN	/anomorphine hudrochloride injectio	Import	ant Safety Information	sotulinumtoxinB) Injection	Show More 🕇
APOKYN* Indication APDKYN i dose wea disease. A	* (apomorphine hydrochloride injecti n is indicated for the acute, intermitte sing-off and unpredictable on-off eg APOKYN has been studied as an adju	Import on) In treatment of hypomobility, off episodes (en iisodes) associated with advanced Parkinson's not to other medications.	ant Safety Information MYOBLOC* (rimab Indication MYOBLOC is indica abnormal head po	obulinumboxinB) Injection ated for the treatment of adults with cervical dyst sition and neck pain associated with cervical dyst	Show More 🕇

j. Click on the drop-down arrow to select the appropriate physician for this patient.

i.

k. If this is a new physician, choose New Physician from the drop-down menu and complete all required fields.

Select a physician	- New Physician -		
Back	Step 2 of 6 (Please compl	hysician Information) ete the required fields.	Next
PHYSICIAN INFORMATION		PHYSICIAN INFORMATION	
Physician Name	Physician Name	Phone #	
25	Physician Name is required.		Phone number is required.
Practice/Facility Name	US WorldMeds	Fax #	
			Fax number is required.
Address 1	Address 1 Address 1 is required	Email Address (optional)	Email Address (optional)
Address 2 (optional)	Address 2 (optional)	Tax ID # (optional)	Tax ID # (optional)
City	City	DEA # (optional)	DEA # (optional)
	City is required.		
State	Select One	NPI	NPI
			NPI is required.
ZIP Code	ZIP		
	are as angles out		
	Important Sa	fety Information	Show Mo
APOKYN- (apomorphine hydrochloride injection) Indication APOKYN is indicated for the acute, intermittent treat dose wearing-off and unpredictable on-off episodes'	ment of hypomobility, off episodes (end-of- associated with advanced Parkinson's	MYOBLOC- (rimabotulinumtoxinB) Injection Indication MYOBLOC is indicated for the treatment of adul abnormal head position and neck pain associate	Its with cervical dystonia to reduce the severity ed with cervical dystonia.

١.

Select a phys	ician	Provider Test 🔹				
		Step 1 of 6	6 (Select a physician location)			
Select	Address		City	State	Zip	
0	4543 Test Ave		Minneapolis	MN	55414	
0	123 abc		Herndon	VA	20171	
		Impo	ortant Safety Information		Show More 🕇	
APOKYN® (apomorphine Indication APOKYN is indicated for dose wearing-off and un disease APOKYN has be	hydrochloride injection) the acute, intermittent treatmenetictable on-off episodes) a	nent of hypomobility, off episodes (e associated with advanced Parkinson ber medications	MYOBLOC* (rimabotulinumto Indication end-of- s MYOBLOC is indicated for the abnormal head position and	oxinB) Injection e treatment of adults with cervi neck pain associated with cervic	cal dystonia to reduce the severity of al dystonia.	

n. If there are multiple addresses associated with the selected physician, the correct address will need to be selected.

Back	Step 2 of 6 (Ph	nysician Information)	Next
PHYSICIAN INFORMATION		PHYSICIAN INFORMATION	
Physician Name	Provider Test	Phone #	(301) 754-7896
Practice/Facility Name	Maryland Family Care Practice	Fax #	(301) 754-7895
Address 1	4543 Test Ave	Email Address	E-Mail
Address 2	Address 2	Tax ID #	12345
City	Minneapolis	DEA #	22345
State	MN		
ZIP Code	55414		
ADD/0/04 (according to budge bladde intertion)	Important Saf	ety Information	Show More 🕇
APURYN* (apomorphine hydrochkoride injection) Indication APDRYN is indicated for the acute, intermittent treatm dose wearing-off and unpredictable on-off episodes) as disease. APDKYN has been studied as an adjunct to oth	ent of hypomobility, off episodes (end-of- sociated with advanced Parkinson's er medicatione	MYUBLUL® (rimabotulinumtoxinB) injection Indication MYOBLOC is indicated for the treatment of adults abnormal head position and neck pain associated v	with cervical dystonia to reduce the severity of vith cervical dystonia.

p. Once the correct address is selected, this screen appears.

о.

q. If this information is correct, click Next (If it's not correct, click Back and select the correct address you want).

Death				
Back		Step 3 of 6 (	Patient Information)	Next
PATIENT			PATIENT ADDRESS	
		NewPatient ExistingPatient	Address 1	Address 1
	Patient Name		Address 2	Address 2
	Gender	select one	▼ City	City
	Date of Birth	Date of Birth	State	Select One
	Phone #		Zip Code	Zip
			Email	Email
APOKYN <sup>®</sup> (apomorphine hu	udrochloride injection)	Important S	arety Information MYOBLOC* (rimabotulinumtoxinB) Injection	Show More 🕇
Indication APDKYN is indicated for th dose wearing-off and unpr	e acute, intermittent treatme edictable on-off episodes) as	ent of hypomobility, off episodes (end-of- sociated with advanced Parkinson's	Indication MYOBLOC is indicated for the treatment of adults abnormal head position and neck pain associated v	with cervical dystonia to reduce the severity of vith cervical dystonia.

s. When this screen appears, if this is a new patient, click on New Patient and complete all required fields.

r.

Select a physician	Marcus Welby		
Back	Step 3 of 6 (Pa	tient Information) the required fields.	Next
PATIENT		PATIENT ADDRESS	
	NewPatient ExistingPatient	Address 1	Address 1
			Address1 is required.
Patient Name	Patient Name	Address 2 (optional)	Address 2 (optional)
	Patient Name is required.		
Gender	- select one -	City	City
	Gender is required.		City is required.
Date of Birth	Date of Birth	State	-Select One-
Disease of Continue D	DOB is required.		State is required.
Phone # (optional)		Zip Code	Zip
	Important Safet	y Information	Show More 🕇
a monthly in a second line budge of the second seco		MTODLOG" (rimabotulinumtoxinb) Injection	

- u. All fields are required except for Phone # and Address 2.
- v. If this is an existing patient, click on the Existing Patient button and select the patient from the drop-down menu.
- w. Once all fields are complete, click Next.

Select a physician	Marcus Welby			
Back	Step 4 of 6 (Inst	irance Information)	Next	
PRIMARY INSURANCE		SECONDARY INSURANCE		
Has Insurance Information Changed?	○ Yes ○ No	Has Insurance Information Changed?	○ Yes ○ No	
Insurance Name	United Health Care	Insurance Name	Insurance Name	
Phone # (optional)		Phone # (optional)		
Relation to Patient	Solf	Relation to Patient	Self	
Policy Holder's Name	Lucille Ball	Policy Holder's Name	Lucille Ball	
Policy Holder's Date of Birth	01/05/1980	Policy Holder's Date of Birth	01/05/1980	
Policy #	987123459	Policy #	Policy #	
Group # (optional)	000000	Group # (optional)	Group # (optional)	
Employer (optional)	Not available	Employer (optional)	Employer (optional)	
Is physician a participating or non- participating provider?	<ul> <li>Participating</li> <li>Non-Participating</li> </ul>	Is physician a participating or non- participating provider?	<ul> <li>Participating</li> <li>Non-Participating</li> </ul>	
APOKVN: (spomorphine hydrochloride injection)	Important Safe	ly Information	Show More 1	
APONING approaching environment and approximate approx	ment of hypomobility, off episodes (end-of- associated with advanced Parkinson's other medications.	Indication MYOBLOG is indicated for the treatment of adul abnormal head position and neck pain associate	ts with cervical dystonia to reduce the severity of d with cervical dystonia.	

y. The Insurance screen will appear.

х.

- z. If this is a new patient, all required fields must be completed for the Primary insurance.
- aa. If this is an existing patient and there are no changes to the existing insurance information, click on the No radio button at the top. (Do this for both Primary and Secondary).
- bb. If there are changes to the existing insurance information, click on the Yes radio button and make the appropriate changes in the fields below. (Do this for both Primary and Secondary).
- cc. All fields are required except Phone #, Group # and Employer.
- dd. Once the Primary Insurance information is complete, enter Secondary Insurance information, if applicable.
- ee. Once all Insurance information is entered, click Next.

Select a physician	Man	cus Welby				
Back		Step 5 of 6 (Treatment Information)			Submit	
100 million (1990)						
Site of Service	Choose a Service S	Site				
1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	Primary ICD-9/10 Co	ode 2nd ICD-9/10 Code	3rd ICD-9/10 Code	4th ICD-9/10 Code	5th ICD-9/10 Code	
Diagnosis	Primary ICD-9/10 C	2nd ICD-9/10 Code	3rd ICD-9/10 Code	4th ICD-9/10 Code	5th ICD-9/10 Code	
EMG Code (optional)	Choose a Code(	option				
	CPT Code 1	CPT Code 2	CPT Code 3	CPT Code 4	CPT Code 5	
CPT Code	CPT Code 1	CPT Code 2	CPT Code 3	CPT Code 4	CPT Code 5	
Date of Service (optional)	Date of Service					
Patient Dosage	0	MYOBLOC 2,500 Units/0.5 mL				
	0	MYOBLOC 5,000 Units/1 mL				
	0	MYOBLOC 10,000 Units/2 mL				
Comments (optional)	Comments (optional)					
1		Important Sa	fety Information		Show More	
APOKYN- (apomorphine hydro	ochloride injection)		MYOBLOC- (rimabotulinut	ntoxinB) Injection	-	
Indication APOKYN is indicated for the act dose wearing-off and unpredicta disease. APOKYN has been stu	te, intermittent treatment or ble on-off episodes) associ died as an adjunct to other	f hypomobility, off episodes (end-of- lated with advanced Parkinson's medications.	Indication MYOBLOC is indicated for t abnormal head position and	he treatment of adults with cervic neck pain associated with cervic	cal dystonia to reduce the severity of cal dystonia.	

gg. The Treatment screen now appears.

hh. Complete all treatment fields. EMG code and Date of service are not required.

Back Step 5 of 6 (Treatment Information) Submit						
Site of Service	of Service Prescribing Physician's Office					
	Primary ICD-9 Code	2nd ICD-9 Code	3rd ICD-9 Code	4th ICD-9 Code	Sth ICD-9 Code	
Diagnosis	333.83	2nd ICD-9 Code	3rd ICD-9 Code	4th ICD-9 Code	Sth ICD-9 Code	
EMG Code	95874	×				
	CPT Code 1	CPT Code 2	CPT Code 3	CPT Code 4	CPT Code 5	
CPT Code	64616	CPT Code 2	CPT Code 3	CPT Code 4	CPT Code 5	
Date of Service	04/13/2015					
Patient Dosage	2 • M'	YOBLOC 2,500 Units/0.5 mL				
	0 • M'	YOBLOC 5,000 Units/1 mL				
		Important S	afety Information		Show More 🕇	
APOKYN <sup>®</sup> (apomorphine hydrod Indication APOKYN is indicated for the ac dose wearing-off and unpredic disease. APOKYN has been stu	chloride injection) ute, intermittent treatment of hy table on-off episodes) associated died as an adjunct to other medic	pomobility, off episodes (end-of- with advanced Parkinson's ations.	MYOBLOC* (rimabotulinum) Indication MYOBLOC is indicated for t abnormal head position and	toxinB) Injection the treatment of adults with cervii I neck pain associated with cervic	cal dystonia to reduce the severity of al dystonia.	

jj. Once all fields are complete, click Submit.

![](_page_36_Picture_0.jpeg)

II. This screen appears to confirm that the request was successfully submitted. If you would like a hard copy of the request, click View/print

a PDF copy of the request here.